

What are the mechanical properties of PVA?

In order to accurately evaluate the mechanical properties of PVA, the real water content is controlled at less than 20 wt%. mechanical performances, Tg, FFV, the relaxation and intermolecular H-bonding interactions of PVA are fully examined.

Does water increase tensile strength and elastic modulus of PVA?

Our results show that both tensile strength and elastic modulus of PVA steadily decrease while the strain-at-break increases first and then decreases with increasing water contents (up to 20 wt%). Only 1.8 wt% water can lead to a brittle-ductile transition during tension.

How does water affect the mechanical strength and modulus of PVA chains?

Therefore, the addition of water can disrupt and even destroy the strong H-bonding between PVA chains by replacing such interactions. As a result of the disrupted intermolecular H-bonding, the mechanical strength and modulus of PVA display a gradual decline trend with increasing water contents by the plasticization effect.

How does atomic force microscopy determine the elastic modulus of PVA?

Zhang et al. pioneered to use atomic force microscopy (AFM) to determine the elastic modulus of PVA in water and found that the H-bonding governs the modulus of PVA. Briscoe et al. found that the viscosity of aqueous PVA solutions depend on the H-bonding interactions.

How do water molecules govern the mechanical properties of PVA?

Therefore, water molecules govern the mechanical properties of PVA by disrupting the intermolecular H-bonding interactions and promoting the chain movement of PVA. 4.

How does water affect the mechanical strength of PVA?

The presence of water significantly reduces the mechanical strength of PVA. 1.8 wt% of water reduces tensile strength by ~32% but increases the ductility of PVA by ~2.5 times. The inclusion of water remarkably lowers the glass transition temperature of PVA. The addition of water increases the free volume and promotes the relaxation of PVA chains.

We report the preparation of poly (vinyl alcohol) (PVA) hydrogels obtained through freezing-thawing cycles. The viscoelastic properties of these gels using parallel-plate shear mode were...

It was clear that the storage moduli of the PVA/MMT composite polymer membranes increased with increasing MMT filler loading (increase about three times). It also confirmed that the MMT fillers...

We have synthesized poly(vinylalcohol) gels containing aluminum hydroxide, and investigated the complex modulus of the gel. The effect of aluminum hydroxide on the degree of swelling and ...

As presented in Fig. 4, the storage modulus of PVA exhibits a gradual decrease with increasing water concentrations in the whole frequency range. For example, at 1.0 Hz, a storage modulus of ~5000 MPa is achieved for the PVA-0.5 (0.5 wt% water), ~2500 MPa for ...

Urushizaki et al.<sup>7</sup> also use the measured mechanical storage modulus to determine the PVA hydrogel elasticity. The elasticity was found to be a function of the number of freezing-thawing cycles. It is believed that an increase in density and chain entanglements caused the increase in rigidity as freezing-thawing cycles were increased ...

From the Fig. 9 b, changes in the G" (loss modulus) and G' (storage modulus) of the PVA/f-MWCNTs nanocomposite hydrogel were depicted in the angular frequency range of 0.1-100 rad/s in the linear viscoelastic region (LVR, at fixed strain of 1 %). There is no crossover of G' & G" occurred in the entire frequency range suggests that PVA/f ...

Hoch prepared hydrogels with varying degrees of methacrylation (DM) in the degree of 770-194 % for swelling and 5-368 KPa for storage modulus by employing a molar excess of MAAh relative to the free amino group of gelatin and ...

a Covalent and entanglement cross-links for energy storage and dissipation, respectively.b Chemically and physically cross-linked structures of brittle and tough hydrogels.c Fracture behavior of ...

Fig. 1 b demonstrates that with an increase in the alternating frequency, both the storage modulus and loss modulus of PVA optical film show an increase, then tend to be flat, reaching a plateau region. With an increase in concentration at the same temperature, the intersection of the storage modulus and loss modulus of PVA optical film moves ...

PVA gel polymer electrolytes containing ionic liquid EMI TFSI were fabricated. These new electrolytes exhibit excellent room temperature ionic conductivity. The electrolytes also ...

Download scientific diagram | Effect of angular frequency () on storage modulus (G'') and loss modulus (G''') for hydrogels as a parameter of BA concentration. from publication: Importance of ...

(A) Storage modulus of PVA fibers gel drawn to various ratios. The draw ratio is indicated at each curve. Rheovibron DDV-II-C viscoelastometer, test frequency 3.5 Hz, heating rate 3°C/min. (B) Tan delta of PVA fibers gel drawn to various ratios. The draw ratio is ...

The slope of the loading curve, analogous to Young's modulus in a tensile testing experiment, is called the storage modulus, E''. The storage modulus is a measure of how much energy must be put into the sample in order to distort it. The difference between the loading and unloading curves is called the loss modulus, E''. It measures energy lost ...

The curves of storage modulus versus temperature for PVA/WPU blends were shown in Fig. 5. It can be seen that the storage modulus of all the samples showed a stepping downtrend with increasing temperature, especially declined sharply above the glass transition temperature ( $T_g$ ) and finally leveled off.

However, the storage modulus of PVA-24 is lower than that of PVA-17 and PVA-20 at low shear rate (<1 rad/s). The viscoelastic exponent of the PVA solutions shows a minimum value at degree of polymerization 2000. Thixotropy is detected by a hysteresis loop ...

The storage modulus of PVA hydrogels at different temperatures was analyzed on the basis of a theoretical model based on the scaling approach. The creep response of PVA hydrogels was investigated. With increase in concentration, these hydrogels exhibited an evolution from a linear viscoelastic response to a nonlinear viscoelastic response. ...

The storage modulus of PVA and the blends up to 70 wt% of PVA decreases with the increase in temperature within whole experimental range. However, in case of blends with higher amounts of PAA, after the initial drop in storage modulus, there was an increase in storage modulus at higher temperature above the  $T_g$  of PAA (130 °C). This can be ...

The addition of dual nanofillers in the PVA/CS blend resulted in improved thermal stability of nanocomposites through the interaction of nanofillers with OH groups of polymer ...

The data shows that PVA has a higher storage modulus in the direction it is stretched but there is a lot of deviation within the values for each test. Thus, it can be ...

Dynamic mechanical measurements of these blends and PAA as a function of temperature show an increase in storage modulus,  $E''$ , when they reach a temperature of ...

In addition, the storage modulus ( $E'$ ) of PVA/PhyAc composites obtained from DMA behaves in a similar manner to both tensile and MD results (Table S2). This is mainly because the number of H-bonds between PVA and PhyAc reaches the maximum at  $\omega = 2.9$  wt% (Fig. 1 c).

Rheological test was also performed to confirm the hydrogen bonding interactions between PVA and LNM (Fig. 2 c & d). The storage modulus ( $G'$ ) and the complex viscosity ( $\eta^*$ ) of the mixed solution ranging from 10 -2 -10 0 rad/s increased evidently with the addition of LNM.

It is worth-mentioning that in our previous work[14] [34], we quantified the storage modulus of CNC-NaCl gels (without any PVA) where the storage modulus of samples with 20 and 30 g/L CNC were equal to 15 and 25 Pa, respectively. Compared to this work, in the presence of PVA, hydrogel mechanical properties improved greatly to 91.3 and 344 Pa ...

For each cycle, CD g-gel-28 has higher storage modulus. With increasing cryo-treatment cycle, storage

modulus change little, especially for CD g-gel-28 with stronger host-guest inclusion. It indicates the host-guest inclusion should inhibit PVA crystallization during cryo-treatment, considering the increase of storage modulus for pure PVA system.

This temperature is around 20 °C above the transition temperature observed in the behavior of the storage modulus (the knee-temperature). PVA chains become more glassier due to presence of SA and ...

Rahbarshendi et al. [65] mentioned that the value of storage modulus improved 22% and  $T_g$  increased 12 °C with the addition of reduced graphene oxide in the PVA matrix. Moreover, storage modulus value of f-Gr nano composite is higher than PVA-Gr film for the all the varying vacuum oven time and refluxing time, however the value of  $\tan \delta$  for f ...

The viscosity, storage modulus and elasticity were found to be higher for PVA solutions in DMSO than in water for the same concentration of PVA. However, the fiber diameter obtained from the PVA ...

Measurements of the shear storage and loss modulus were performed at a fixed frequency of 1 Hz and a strain value of 0.1%, i.e. under conditions where the deformation imposed on the gel structure is entirely reversible. ... For a given a-PVA concentration, the storage modulus,  $G'$ , strongly increases as sample crystallinity increases. As a ...

In this study, PVA and Gelatin were blended and formed into a hydrogel with thermal (freeze-thaw) treatment and coagulation treatment. The thermal behavior, degree of crystallinity, polymer fraction, storage modulus and ultimate strength of treated PVA/Gelatin hydrogels were studied in this work. The results are summarized in Table 1.

The storage modulus of the pure PVA (  $E' = 1.36 \times 10^{10}$  dyn cm<sup>-2</sup> ) was lower than the PVA/MMT nanocomposite polymer membranes with 5 and 10 wt.%MMT (  $E' = 4.01 - 5.43 \times 10^{10}$  dyn cm<sup>-2</sup> ) ...

The storage modulus,  $E''$ , of pure PVA, PAA and their blends between 30 and 175°C are shown in Figure 3. In order to facilitate their comparison, the curves have been ...

Storage modulus changes with temperature in poly(vinyl alcohol), PVA/poly(acrylic acid), PAA, blends. Published: May 1999 Volume 42, pages 449-456, (1999) ; Cite ...

Web: <https://www.eastcoastpower.co.za>

